

# PATENT COOPERATION TREATY

# PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>212870</b>	<b>FOR FURTHER ACTION</b> <small>see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.</small>	
International application No. <b>PCT/US 01/ 23880</b>	International filing date (day/month/year) <b>30/07/2001</b>	(Earliest) Priority Date (day/month/year) <b>28/07/2000</b>
Applicant  <b>GRAIN PROCESSING CORPORATION et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.  
☒ It is also accompanied by a copy of each prior art document cited in this report.

**1. Basis of the report**

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.
- ☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).
- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :
- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

**4. With regard to the title,**

- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established by this Authority to read as follows:

**5. With regard to the abstract,**

- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

**6. The figure of the drawings to be published with the abstract is Figure No.**

- ☐ as suggested by the applicant.
- ☐ because the applicant failed to suggest a figure.
- ☐ because this figure better characterizes the invention.
- ☐ None of the figures.

**THIS PAGE BLANK (USPTO)**

## INTERNATIONAL SEARCH REPORT

International Application No

T/US 01/23880

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12C1/047 A23L1/185 A01N65/00 A01N63/02 A01N37/36

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12C A23L A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 94 16053 A (PANIMOLABORATORIO BRYGGERILABO ; HAIKARA AULI (FI); MATTILA SANDHOL) 21 July 1994 (1994-07-21) page 1, line 11 - page 2, line 20 page 5, line 3 - line 10 page 5, line 31 - page 7, line 15; claims; example 3	11
X	WO 00 25595 A (REINIKAINEN PEKKA ; TUOKKURI VELI MATTI (FI); PELTOLA PETRI (FI); R) 11 May 2000 (2000-05-11) example 4	11
X	US 2 903 399 A (ROBERT DIXON THOMAS) 8 September 1959 (1959-09-08) claims --- -/--	11

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\* & \* document member of the same patent family

Date of the actual completion of the international search

15 March 2002

Date of mailing of the international search report

22/03/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Muellners, W

**THIS PAGE BLANK (USPTO)**

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/23880

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 556 946 A (POLEN PERCY B) 19 January 1971 (1971-01-19) the whole document ---	1-13
A	US 3 188 279 A (FLECKENSTEIN JOHN G ET AL) 8 June 1965 (1965-06-08) column 1 -column 2, line 44 column 5, line 7 - line 15 ---	1-13
A	US 5 030 268 A (CHRISTIANS NICK E) 9 July 1991 (1991-07-09) cited in the application column 2, line 3 - line 8 column 2, line 43 - line 55 column 3, line 1 - line 18 ---	1
A	US 5 290 749 A (CHRISTIANS NICK E ET AL) 1 March 1994 (1994-03-01) cited in the application column 2, line 8 - line 22 column 2, line 56 -column 3, line 25 ---	1
A	US 5 290 757 A (CHRISTIANS NICK E ET AL) 1 March 1994 (1994-03-01) cited in the application column 2, line 16 - line 49 ---	1
A	US 3 320 696 A (RESCHETZ RAYMOND R ET AL) 23 May 1967 (1967-05-23) column 2, line 20 - line 45 column 5, line 20 - line 30 -----	1

**THIS PAGE BLANK (USPTO)**

# INTERNATIONAL SEARCH REPORT

International Application No

Information on patent family members

PCT/US 01/23880

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9416053	A	21-07-1994	FI 930182 A AU 680426 B2 AU 4821493 A BR 9307847 A CA 2153339 A1 CZ 9501793 A3 EE 3161 B1 EP 0678120 A1 WO 9416053 A1 HU 72484 A2 JP 8505056 T RU 2126443 C1 SK 89995 A3	16-07-1994 31-07-1997 15-08-1994 06-02-1996 21-07-1994 13-12-1995 15-02-1999 25-10-1995 21-07-1994 29-04-1996 04-06-1996 20-02-1999 08-05-1996
WO 0025595	A	11-05-2000	FI 982376 A AU 1050100 A BG 104559 A BR 9906713 A CA 2316184 A1 CN 1287474 T EP 1056349 A1 WO 0025595 A1 HR 20000446 A1 HU 0100402 A2 PL 341536 A1 SK 10092000 A3	03-05-2000 22-05-2000 31-08-2001 17-10-2000 11-05-2000 14-03-2001 06-12-2000 11-05-2000 31-08-2000 28-06-2001 23-04-2001 12-02-2001
US 2903399	A	08-09-1959	NONE	
US 3556946	A	19-01-1971	NONE	
US 3188279	A	08-06-1965	NONE	
US 5030268	A	09-07-1991	US RE34594 E	26-04-1994
US 5290749	A	01-03-1994	AU 679107 B2 AU 7516394 A CA 2144321 A1 DE 69429154 D1 EP 0662784 A1 JP 8504832 T WO 9503698 A1	19-06-1997 28-02-1995 09-02-1995 03-01-2002 19-07-1995 28-05-1996 09-02-1995
US 5290757	A	01-03-1994	AU 679107 B2 AU 7516394 A CA 2144321 A1 DE 69429154 D1 EP 0662784 A1 JP 8504832 T WO 9503698 A1	19-06-1997 28-02-1995 09-02-1995 03-01-2002 19-07-1995 28-05-1996 09-02-1995
US 3320696	A	23-05-1967	NONE	

**THIS PAGE BLANK (USPTO)**



## PATENT COOPERATION TREATY

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>212870</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/US 01/23880</b>	International filing date (day/month/year) <b>30/07/2001</b>	(Earliest) Priority Date (day/month/year) <b>28/07/2000</b>
Applicant <b>GRAIN PROCESSING CORPORATION et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

## 1. Basis of the report

- a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.



the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing :



contained in the international application in written form.



filed together with the international application in computer readable form.



furnished subsequently to this Authority in written form.



furnished subsequently to this Authority in computer readable form.



the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.



the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ Certain claims were found unsearchable (See Box I).

3. ☐ Unity of invention is lacking (see Box II).

4. With regard to the title,



the text is approved as submitted by the applicant.



the text has been established by this Authority to read as follows:

LEYDIG, VOIT & MAYER  
RECEIVED

MAR 26 2002

PAT/TM Due Date None

5. With regard to the abstract,



the text is approved as submitted by the applicant.



the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the drawings to be published with the abstract is Figure No.



as suggested by the applicant.



because the applicant failed to suggest a figure.



because this figure better characterizes the invention.



None of the figures.

AHF

LALI

**THIS PAGE BLANK (USPTO)**

PRCT/US 01/23880

According to International Patent Classification (IPC) or to both national classification and IPC

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12C A23L A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 94 16053 A (PANIMOLABORATORIO BRYGGERILABO ; HAIKARA AULI (FI); MATTILA SANDHOL) 21 July 1994 (1994-07-21) page 1, line 11 - page 2, line 20 page 5, line 3 - line 10 page 5, line 31 - page 7, line 15; claims; example 3	11
X	WO 00 25595 A (REINIKAINEN PEKKA ; TUOKKURI VELI MATTI (FI); PELTOLA PETRI (FI); R) 11 May 2000 (2000-05-11) example 4	11
X	US 2 903 399 A (ROBERT DIXON THOMAS) 8 September 1959 (1959-09-08) claims	11

-/--

☒ Patent family members are listed in annex.

'&' document member of the same patent family

Muellners, W

**THIS PAGE BLANK (USPTO)**

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/23880

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 556 946 A (POLEN PERCY B) 19 January 1971 (1971-01-19) the whole document ----	1-13
A	US 3 188 279 A (FLECKENSTEIN JOHN G ET AL) 8 June 1965 (1965-06-08) column 1 -column 2, line 44 column 5, line 7 - line 15 ----	1-13
A	US 5 030 268 A (CHRISTIANS NICK E) 9 July 1991 (1991-07-09) cited in the application column 2, line 3 - line 8 column 2, line 43 - line 55 column 3, line 1 - line 18 ----	1
A	US 5 290 749 A (CHRISTIANS NICK E ET AL) 1 March 1994 (1994-03-01) cited in the application column 2, line 8 - line 22 column 2, line 56 -column 3, line 25 ----	1
A	US 5 290 757 A (CHRISTIANS NICK E ET AL) 1 March 1994 (1994-03-01) cited in the application column 2, line 16 - line 49 ----	1
A	US 3 320 696 A (RESCHETZ RAYMOND R ET AL) 23 May 1967 (1967-05-23) column 2, line 20 - line 45 column 5, line 20 - line 30 -----	1

**THIS PAGE BLANK (USPTO)**

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/23880

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9416053	A	21-07-1994	FI 930182 A	16-07-1994
			AU 680426 B2	31-07-1997
			AU 4821493 A	15-08-1994
			BR 9307847 A	06-02-1996
			CA 2153339 A1	21-07-1994
			CZ 9501793 A3	13-12-1995
			EE 3161 B1	15-02-1999
			EP 0678120 A1	25-10-1995
			WO 9416053 A1	21-07-1994
			HU 72484 A2	29-04-1996
			JP 8505056 T	04-06-1996
			RU 2126443 C1	20-02-1999
			SK 89995 A3	08-05-1996
WO 0025595	A	11-05-2000	FI 982376 A	03-05-2000
			AU 1050100 A	22-05-2000
			BG 104559 A	31-08-2001
			BR 9906713 A	17-10-2000
			CA 2316184 A1	11-05-2000
			CN 1287474 T	14-03-2001
			EP 1056349 A1	06-12-2000
			WO 0025595 A1	11-05-2000
			HR 20000446 A1	31-08-2000
			HU 0100402 A2	28-06-2001
			PL 341536 A1	23-04-2001
			SK 10092000 A3	12-02-2001
US 2903399	A	08-09-1959	NONE	
US 3556946	A	19-01-1971	NONE	
US 3188279	A	08-06-1965	NONE	
US 5030268	A	09-07-1991	US RE34594 E	26-04-1994
US 5290749	A	01-03-1994	AU 679107 B2	19-06-1997
			AU 7516394 A	28-02-1995
			CA 2144321 A1	09-02-1995
			DE 69429154 D1	03-01-2002
			EP 0662784 A1	19-07-1995
			JP 8504832 T	28-05-1996
			WO 9503698 A1	09-02-1995
US 5290757	A	01-03-1994	AU 679107 B2	19-06-1997
			AU 7516394 A	28-02-1995
			CA 2144321 A1	09-02-1995
			DE 69429154 D1	03-01-2002
			EP 0662784 A1	19-07-1995
			JP 8504832 T	28-05-1996
			WO 9503698 A1	09-02-1995
US 3320696	A	23-05-1967	NONE	

**THIS PAGE BLANK (USPTO)**



(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 February 2002 (07.02.2002)

PCT

(10) International Publication Number  
**WO 02/10331 A2**

(51) International Patent Classification<sup>7</sup>: **C12C 1/047**,  
A23L 1/185, A01N 65/00, 63/02, 37/36

(21) International Application Number: PCT/US01/23880

(22) International Filing Date: 30 July 2001 (30.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/221,830 28 July 2000 (28.07.2000) US

(71) Applicant (for all designated States except US): **GRAIN PROCESSING CORPORATION** [US/US]; 1600 Oregon Street, Muscatine, IA 52761-1494 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **JOHAL, Sarjit** [US/US]; 1514 Ranier Drive, Iowa City, IA 52246-4175 (US). **ANTRIM, Richard, L.** [US/US]; 3715 170th Street N.E., Solon, IA 52333-8923 (US).

(74) Agents: **HOOVER, Allen, E.** et al.; Leydig, Voit & Mayer, Ltd., Two Prudential Plaza, Suite 4900, 180 North Stetson, Chicago, IL 60601-6780 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ROOT RETARDANT

(57) Abstract: The present invention provides a method of retarding rootlet formation from one or more plants in a medium that can support the growth thereof, which method includes introducing into the medium a growth inhibiting effective amount of a growth inhibitor which comprises corn steep liquor. In other embodiments, the growth inhibitor is a mixture of a growth medium and lactic acid. In preferred embodiments, the present invention further provides a malting composition that includes a fermentable grain and a growth inhibitor, wherein the growth inhibitor is present in an amount effective to retard rootlet formation.

WO 02/10331 A2

**THIS PAGE BLANK (USPTO)**

## ROOT RETARDANT

### TECHNICAL FIELD OF THE INVENTION

This invention pertains to root retardants. In some embodiments, the invention  
5 is in the field of malting compositions and methods, such as in preparing fermented  
beverages.

### BACKGROUND OF THE INVENTION

There is an ongoing effort to identify and develop new herbicides, particularly  
10 naturally occurring substances having root retardant activity. However, the  
identification of commercially viable retardants from abundant natural resources has  
proven to be rather difficult. Some active compounds derived from natural sources  
have been identified. For example, U.S. Patent 5,290,749 ("the '749 patent") describes  
the use of corn protein hydrolysates, which are produced by enzymatic hydrolysis of  
15 corn gluten meal, for inhibiting the germination of weeds. U.S. Patent 5,290,757 ("the  
'757 patent") describes various dipeptides as having herbicidal activity. These  
applications have not been commercially exploited, however, possibly due to the  
apparent high cost per active dose that would be required to for commercially viable  
applications. The successful commercialization of non-toxic, natural materials for  
20 such applications requires a large, inexpensive, readily available source of the active  
agent.

Corn gluten meal, an insoluble product obtained from the processing of corn, is  
presently marketed as a root retardant, and is described in U.S. Patent 5,030,268.  
However, the herbicidal potency of corn gluten meal per unit weight of solids is  
25 relatively weak, requiring the application of a somewhat large quantity of the material  
relative to the medium in order to achieve desirable herbicidal efficacy. As such, there  
is a need for more potent, non-toxic, commercially viable natural materials.

One industry in which a particular need for cost-effective naturally produced  
herbicides is found in the brewing industry. Generally, beer and other fermentable  
30 beverages are prepared by malting a fermentable grain (often barley) and subsequently  
fermenting the malted grain. During the malting step, enzymes in the grain cause the

breakdown of other components of the grain into maltose. Usually, however, the malting of the grain undesirably causes emergent growth of rootlets from the grain. The rootlets thus generated generally must be removed prior to fermentation, thus requiring additional processing costs and adversely affecting yields. The malting techniques known in the art are not satisfactory in inhibiting rootlet growth prior to fermentation.

In light of the foregoing, it is a general object of the invention to provide a root retardant. In some embodiments, it is an object to provide a malting composition that includes a root retardant and a maltable grain. The present invention provides such herbicides and methods of using them. These and other advantages of the present invention, as well as additional inventive features, will be apparent from the description of the invention provided herein.

### SUMMARY OF THE INVENTION

Surprisingly, it is now been discovered that corn steep liquor, lactobacillus broth, and the addition product of the deMan-Rosola-Sharpe ("MRS") medium, as described in deMan et al., "A Medium for the Cultivation of Lactobacilli," J. App. Bact., 23:130 (1960) and lactic acid can serve as root retardants.

In one embodiment, the invention provides a method for malting, whereby a fermentable grain, such as barley, is malted in the presence of sufficient root retardant to inhibit rootlet formation of the fermentable grain. Also provided by the invention is a malting composition and a method for fermentation.

Other features and embodiments of the invention are set forth hereinbelow and in the appended claims.

### DESCRIPTION OF THE PREFERRED EMBODIMENTS

The invention contemplates the use of a product that has root retardant activity. One such medium is a lactobacillus broth, for instance, a broth comprising the fermentation product of MRS medium. The MRS medium is a complex medium that includes proteose peptone number 3, beef extract, yeast extract, dextrose, polysorbate 80, ammonium citrate, sodium acetate, magnesium sulfate, manganese sulfate, and

dipotassium phosphate. Any suitable lactic acid producing bacteria may be employed in connection with the invention. Preferred bacterial species include *Lactobacillus delbrueckii* sp. *lactis* (ATCC 4797) and *Lactobacillus delbrueckii* sp. *delbrueckii* (ATCC 4996).

5 In accordance with another embodiment of the invention, lactic acid is added to the MRS medium to form a growth medium. When the growth medium is fermented, the fermentation preferably is allowed to proceed to an extent such that essentially all dextrose is consumed. When lactic acid is added, lactic acid preferably is added in an amount ranging from about 1 to about 5% by w/v. It is contemplated that the majority  
10 of the lactic acid in the composition will be present in the form of a salt. The pH of the product preferably is in the range of about 4 to 8, but may be outside this range.

In a preferred embodiment, the growth inhibitor of the present invention includes a composition that is selected from the group consisting of corn steep liquor concentrates, dried corn steep liquor and combinations thereof. In a particularly  
15 preferred embodiment, the growth inhibitor of the present invention consists essentially of corn steep liquor (also referred to as corn steep water) or a concentrate thereof (e.g., corn steep liquor concentrate, dried corn steep liquor, and the like). The corn steep liquor used in accordance with the present invention is preferably native, unprocessed or nominally processed corn steep liquor.

20 Corn steep liquor (CSL), also referred to as corn steep water, is used almost exclusively in feed and in certain commercial fermentation applications as a nutrient source. Consequently, it is an underutilized, inexpensive by-product of the corn wet milling processing. The use of CSL, particularly native CSL, provides a large, inexpensive, readily available source of nonselective, herbicidal activity.

25 Typically, the initial step in the corn wet milling process involves steeping shelled corn in water containing sulfur dioxide and lactic acid bacteria for 30-50 hours. The purpose of the steeping procedure is to soften the kernel for removal of the shell and thus permit grinding and fractionation of the various kernel components. The liquor recovered after steeping is generally referred to as thin corn steep liquor or corn  
30 steep water.

The steeping process, while undertaken specifically to prepare the kernel for grinding, spawns other incidental events, the most noteworthy of which is the leaching of various biomolecules, metabolites and minerals into the water. The lactic acid bacteria present in the CSL metabolize some of the leached compounds and  
5 concomitantly release other metabolites and into the mixture. Thus, corn steep liquor (CSL) is a complex broth composed of carbohydrates, proteins (e.g., polypeptides and amino acids), organic acids (e.g., lactic acid and phytic acid), nucleic acids, minerals and bacteria. A common industry-wide practice is to concentrate the thin corn steep liquor by evaporation to a solids content of about 50%. It has been shown, for  
10 example, that corn steep liquor in various concentrations has root retardant activity against barley.

It is believed that the method of the present invention also can be applied toward the post emergent growth inhibition of one or more postemergent plants. The term "postemergent growth" as utilized herein refers to post-germination plant growth  
15 that is generally understood to correspond to the visible "emergence" of the plant from the medium. Postemergent plants thus include, for example, plants that have undergone significant root formation, plants that have undergone significant sprout formation, plants having one or more sprouts that have exited the surface of a soil medium, plants having undergone root formation to the extent that the roots can  
20 support a soil-emergent sprout, and the like. Accordingly, the present invention further provides a method of inhibiting the further growth of a postemergent plant in a medium that can support the growth thereof, which method includes introducing into the medium a postemergent growth inhibiting effective amount of a growth inhibitor as described hereinabove.

25 CSL contains valuable nutrients such as, for example, nitrogen, phosphate and minerals which can promote the growth and health of certain desirable ("wanted") postemergent annual and perennial plants. As such, the invention relates to the use of corn steep liquor and the other materials discussed above as a nonselective, preemergent herbicide for the growth inhibition of undesirable ("unwanted") plants  
30 and, optionally, as a nutrient that can simultaneously promote the growth of desirable ("wanted") postemergent plants.

Accordingly, the present invention is also drawn to a method of inhibiting the preemergent growth of a plant in a medium that further comprises one or more postemergent plants. When the medium comprises one or more postemergent plants, the growth inhibitor can be introduced into the medium in an amount which is  
5 effective to inhibit the growth and also effective to promote the growth of the one or more postemergent plants in the medium. When a postemergent plant is present in the medium, it is preferably a postemergent plant selected from the group consisting of a fruit, a vegetable, an ornamental plant, a turf grass, and a grain. For instance, the postemergent plant may be a potted fruit, such as tomatoes or strawberries, an  
10 ornamental plant, such as a flower or orchid, a vegetable, such as onions or broccoli, an exotic plant, and so forth.

The invention finds particular applicability in connection with malting, more particularly, in connection with the brewing industry. By "malting" it is contemplated the formation of maltose in a maltable grain, generally via complex biochemical  
15 processes believed to involve enzymatic action. Generally, a grain is malted by steeping of the grain such that the grain imbibes water, followed by a period in which the grain germinates, and most often followed by kilning of the grain.

While malting may be employed for purposes other than brewing (for example, in the preparation of confectionaries), malting most often is employed in connection  
20 with the preparation of fermented beverages, most typically beer. Innumerable varieties and styles of beer and similar fermented beverages are known, these include, for instance, lagers, such as pilsners, Dortmunder, Munich, and steam; malt liquors; weissbiers; bock beers; ales; stouts; porters; spruce beers; honey ales; and mulled ales. While innumerable brewing methodologies are known, generally the malted grain is  
25 milled and mashed to form a wort. The wort is then boiled; in this step, adjuncts such as hops, corn syrup, starch, or other ingredients may be added. After the wort is cooled, it is fermented to form a fermented beverage. Commercially, several additional steps are performed, including maturation of the fermented beverage, cooling (to cause precipitation of protein-tannin complexes), filtration and/or  
30 pasteurization, and containering, *i.e.*, storage of the beverage in a bottle, keg, or can. In the fermentation process of the invention, other steps may be added, and in some

cases, steps may be omitted. Moreover, not all of the steps are always performed by the same entity; for instance, malting may be performed by a maltster, and the malted barley or other grain may be transported to a brewer for fermentation.

5 In accordance with the invention, the root retardant may be used in connection with a malting and/or fermentation process. For instance, the invention encompassing a malting composition that includes a maltable or fermentable grain and a root retardant, the root retardant being present in an amount effective to inhibit rootlet formation during germination. The invention further contemplates a method of malting, including selecting as a root retardant one of the compositions is discussed  
10 hereinabove, forming a malting composition, and malting the malting composition. Those skilled in the art will be able to appreciate the extent of malting desired in any given application, but generally speaking, the malting should proceed to an extent sufficient to form maltose in the amount desired. The invention further contemplates a fermentation method which contemplates fermenting a malted malting composition  
15 thus prepared.

The following examples further illustrate the present invention but should not be construed as in any way limiting its scope.

#### EXAMPLE 1

20 This example demonstrates the preemergent growth inhibiting activity of corn steep liquor as compared to that of a corn protein hydrolysate.

The corn protein hydrolysate (CPH) used in this example was prepared in accordance with Example 1 of U.S. Patent No. 5,290,749. The corn steep liquor (CSL) used in this example was a refrigerated concentrate obtained directly from a commercial  
25 corn wet milling process line.

The seeds were prepared as follows. Commercial barley seeds (grade B) were prepared by soaking them in water for approximately 24 hours prior to assay initiation. The water imbibed seeds were then damp dried using paper towels. The assays were initiated about 2-4 hours after the treatment.

30 The germination assays were carried out as follows. Test solutions were mixed with the prepared barley seeds (10 ml of test solution per 100 g of prepared barley seeds)



for about 1-2 minutes. The seeds were then spread out on two layers of damp paper towels and covered with a layer of damp paper towels. The covered, treated seeds were incubated on a laboratory bench at room temperature for about 40 hours. The assay results are shown below in Table 1.

5

Table 1

Test Solution	Test Solution Dry Solids (% by weight)	Percent Growth Inhibition	Observations
Control (Distilled Water)	0	0	
CPH	2.5	0	Equal or better growth than control
CPH	5	10	Comparable to control
CSL (Whole)	7	50	Growth substantially lower than control
CSL (Whole)	14.5	80-90	Very little root growth
CSL (Whole)	27.1	100	No root growth
CSL (Supernate Only) <sup>1</sup>	13.9	80	More growth than whole broth at equivalent solids content
CSL (Supernate Only) <sup>1</sup>	27.5	90	Several rootlets noted, otherwise devoid of growth

<sup>1</sup>Supernatant recovered by centrifugation to remove insoluble materials.

The foregoing data demonstrates the superior plant growth inhibiting activity of corn steep liquor. For example, the 50% percent growth inhibition of barley treated with CSL whole broth at 7% solids was significantly greater than the 10% growth inhibition of barley treated with CPH at 5% solids.

## EXAMPLE 2

This example demonstrates the growth inhibiting activity of corn steep liquor (CSL) and corn gluten liquor ("overs") as compared to corn protein hydrolysate (CPH). The CPH and CSL were obtained in accordance with Example 1. The dried corn gluten liquor sample, also referred to as "overs," was recovered from an in-line process centrifuge during concentration of the insoluble corn gluten process stream. The

collected "overs," which are devoid of gluten, were then concentrated either by evaporation (EVAP) or reverse osmosis (RO). The concentrates were dried by spray-drying.

Barley seeds were prepared and subjected to germination assays in accordance with Example 1. The assay results are shown below in Table 2.

Table 2

Test Solution	Dry Solids (% by weight)	Percent Growth Inhibition	Observations
Control – distilled water	0	0	
CPH	5	5-10%	Nominal inhibition, about equal to control
CPH	10	15-20%	Slightly better than control
"overs" (EVAP)	5	15-20%	Equal to or slightly better than CPH
"overs" (EVAP)	10	30-40%	Clear, visible inhibition
"overs" (RO)	5	15-20%	Growth substantially lower than control
"overs" (RO)	10	30-40%	Several rootlets noted, otherwise devoid of growth
CSL	7	50%	Several rootlets noted, otherwise devoid of growth
CSL	14.5	90%	

This example demonstrates the plant growth inhibiting activity of corn solubles. Although some plant growth inhibiting activity resides in the overs, it has significantly lower activity than that found in CSL.

### EXAMPLE 3

This example demonstrates the growth inhibiting activity of CSL, at various concentrations and pHs, against a number of different seeds. The corn steep liquor (CSL) used in this example was obtained in accordance with Example 1 and was diluted with distilled water to produce two different solids concentrations, specifically, solutions having solids concentrations of 5% and 12% by weight on a dry solids basis (dsb). The

5% dsb and 12% dsb solutions were separated into two groups, one of which was adjusted to pH 4, and the other adjusted to pH 8.

The following seeds were tested: ryegrass, buckwheat, rye, oats, mustard, and cucumber. Each of the four solutions described above (7-ml aliquots each) was applied to filter paper measuring approximately 38 cm<sup>2</sup>. Each treated filter paper was housed in a sterile petri dish. Seeds (about 20-40) of each of the foregoing plants were placed on the treated filter papers. Germinated seeds were tallied after about 5 days of incubation at room temperature. The assay results are shown below in Tables 3-8.

10

Table 3

Ryegrass		
CSL Concentration (dsb)	pH	% Germination
Control (water)		74
12.5%	4	0
12.5%	8	0
5%	4	0
5%	8	0

Table 4

Buckwheat		
CSL Concentration (dsb)	pH	% Germination
Control (water)		80
12.5%	4	0
12.5%	8	0
5%	4	0
5%	8	0

15

Table 5

Rye (Winter)		
CSL Concentration (dsb)	pH	% Germination
Control (water)		100
12.5%	4	0
12.5%	8	0
5%	4	8 (Strong growth inhibition)
5%	8	14 (Growth inhibited)

Table 6

Oats		
CSL Concentration (dsb)	pH	% Germination
Control (water)		50
12.5%	4	0
12.5%	8	0
5%	4	0
5%	8	0

5

Table 7

Cucumber		
CSL Concentration (dsb)	pH	% Germination
Control (water)		94
12.5%	4	0
12.5%	8	0
5%	4	0
5%	8	0

10

Table 8

Mustard		
CSL Concentration (dsb)	pH	% Germination
Control (water)		88
12.5%	4	0
12.5%	8	0
5%	4	0
5%	8	0

The foregoing data demonstrates the potent growth inhibiting activity of corn steep liquor against a variety of different plants. The compositions are active at pH 4 and at pH 8, and at 5% and 12.5% concentrations (dsb) in each pH range.

#### EXAMPLE 4

Lactic acid bacteria broth was produced by inoculating about two hundred and fifty millimeters of sterile Lactobacilli MRS media (Becton Dickinson Microbiology System, Spraks, MD) with *Lactobacillus delbrueckii* sp. *lactis* (ATCC 4797) in separate shake flasks. The inoculated shake flasks were incubated in a walk-in incubator for about 48 hours. Upon examination, clear visual evidence of bacterial growth was apparent.

After removing from the incubator, one flask was set aside. The other flask was autoclaved at 121° C, 15 psi, for about 20 minutes and cooled to room temperature. The samples were found to have a solids content of about 5% and a pH of 4.2.

Root retardant activity was assayed using barley seeds. Commercial barley seeds (Robust, Grade B) were prepared by soaking in water for approximately 24 prior to assay initiation. The water-imbibed seeds were then damp dried using paper towels and incubated for about 20 hours at room temperature.

The test solutions were mixed with the prepared barley seeds (10 ml of test solution per 100 grams of prepared barley seeds) for 1 to 2 minutes. The seeds were then spread out on damp paper towels and covered with additional damp paper towels to maintain a high moisture environment. The covered, treated seeds were incubated on a laboratory bench at room temperature for about 40 hours, then assayed to determine herbicidal activity. The assay results are shown in Table 9.

Table 9

Sample	Inhibition Score*
Water (Control)	0
0.05% (dsb) lactobacillus broth	0
0.1% (dsb) lactobacillus broth	2
0.25% (dsb) lactobacillus broth	8
0.25% (dsb) lactobacillus broth**	
0.5% (dsb) lactobacillus broth	10
0.5% (dsb) lactobacillus broth**	
MRS Broth/Growth media	1
0.6% (dsb) CSL	2
1.2% (dsb) CSL	9

\*Visual Score based on rootlet growth where 0=No inhibition and 10=Total inhibition

\*\*Autoclaved

5

The results of this experiment demonstrate that lactobacillus shake flask culture broth possesses substantial germination inhibition activity. On a percent solids basis whole (unprocessed) lactobacillus broth, which is about 5% solids, exhibits almost 2.5 times the activity of corn steep liquor. Moreover, the observed activity is heat-resistant, as evidenced by the finding that autoclaved broth is fully active. Cell viability also does not appear to be contributing factor. The autoclaved sample, for example displays the same level of activity as the sample that was not autoclaved.

10

### EXAMPLE 5

15

This example illustrates the dose dependent effect of lactic acid bacteria fermentation broth on barley seedling germination as assessed by commercial malt quality control standards. The materials, procedures and conditions employed in this example are the same as those routinely practiced in the malt industry. The studies, which used a six-row commercial barley variety, proceeded according to the following procedures.

20

- a) Barley was washed and steeped in water for about 24 hours and processed as per standard industry practices;

- b) The water imbibed seeds, which had 'chitted' (*i.e.*, rootlet growth point exposed) at this point, were incubated for another approximately 20 hours to allow for further biochemical and physiological development;
- c) The steeped and incubated barley, which was now exhibiting a "forked" rootlet appearance, was rinsed in the respective lactobacillus broth (LBB) solutions and incubated for another two or three days with periodic watering as necessary;
- d) Following the incubation period, the processed barley was kilned;
- e) The dried barley was then ground, screened and evaluated;
- f) The findings of this study are shown in Table 10.

Table 10

Analysis	Control	0.05% LBB Solids	0.07% LBB Solids
Moisture %	4.4	4.0	4.3
Extract % Fine Grind, As Is	75.6	76.1	75.7
Extract % Fine Grind, Dry Basis	79.1	79.2	79.1
Extract % Course Grind, As Is	74.5	75	74.0
Extract % Course Grind, Dry Basis	77.9	76.1	77.4
Difference, % Fine-Course Extracts	1.2	1.1	1.7
Conversion Time, Minutes	5 Min.	5 Min.	5 Min.
Speed of Filtration	Normal	Normal	Normal
Color of Wort, Degree Lovibond	1.69	1.98	1.95
Clarity of Wort & Hach Turbidity Reading	Clear	Clear	Clear
Diastatic Power, Degrees, Dry Basis	166	163	154
Alpha Amylase Units, 20C, Dry Basis	42.3	53.4	47.7
Total Malt Protein, % Dry Basis	12.4	12.2	12.6
Soluble Malt Protein, % Dry Basis	6.01	5.98	5.57
Ratio, S/T Malt Protein	48.7	48.9	44.1
Wort Viscosity, c.p.	1.42	1.43	1.47
Beta Glucan	234.7	240.9	314.6
Final Sample Total Weight - Malt (gm)	1725.4	1727.7	1728.6
Final Total Weight-Rootlets (gm)	80.8.6	74.8	67.3
Ratio-Rootlets to Malt (%)	4.68%	4.33%	3.89% (few, short rootlets)

5 This example illustrates that, in addition to the visible lactic acid bacteria-induced phenotypic changes such as the reduced rootlet growth and seed softening, biochemical changes usually associated with the malting process are measurably



affected by the low solids, lactobacillus broth solutions. These biochemical changes measurably alter the physiochemical attributes of the malt as demonstrated by changes in the quality control (QC) parameters monitored by the malt suppliers and customers.

5

### EXAMPLE 6

This example evaluates the performance of lactobacillus broth (LBB), lactobacillus plus a commercial agricultural sticker (surfactant) (a modified phthalic alkyd from Olympic Chemical, Mainland, Pa.), corn steep liquor (CSL), corn steel liquor plus a commercial agricultural sticker and several lactobacillus, CSL and herbicidal corn gluten mixtures. The specific formulations tested were as follows:

10

a) Corn steel liquor (CSL). This formulation was prepared by diluting CSL (about 45% solids) that was obtained directly from a commercial corn wet milling line to about 20% solids with water.

15

b) Corn steep liquor plus sticker. A commercial sticker was added to the aforementioned CSL solution (20% dsb) at the recommended label rate.

c) Lactobacillus broth was produced in shake flask culture using *Lactobacillus delbrueckii* sp. *lactis* (ATCC 4797) and MRS media. The whole broth had a solids content of about 4.8% and a pH of about 4.3.

20

d) Lactobacillus broth (about 4.8% solids) blended 1:1 with a CSL solution (about 20% solids). Final solids of solution determined to be about 14%.

25

Commercially available plastic planting trays were loaded with a professional soil mix at a commercial greenhouse operation. The loaded trays were lightly watered, divided into three sections, and seeded with an estimated quantity of winter rye and ryegrass seeds. Seeds were dispersed on the soil surface and left uncovered. The herbicides were then sprayed using a hand sprayer to the designated section of the tray. The trays were then transferred to and maintained in an environmentally regulated greenhouse. Treatment application rates were based on a pound per acre basis equivalence. For the purposes of this study, the corn steep liquor (CSL), CSL plus lactobacillus broth and CSL plus sticker application rate was equivalent to about 560 – 580 pounds/acre, the lactobacillus broth and LBB plus sticker application rate was equivalent to about 150 pounds per acre.

30

After application, the trays were not watered for about 24 hours. Thereafter, they were watered as needed to keep the soil moist. The trays were routinely watered several times a day.

The trays, which were inspected daily, were monitored and maintained for 2 to 4 weeks post-germination.

The findings of this study are shown in the Table below.

Table 11

Tray Number	Seed Type	Treatment	% Inhibition
1	Winter Rye	CSL + Sticker	70
		Water (Control)	0
		LBB + Sticker	65
2	Ryegrass	CSL + Sticker	25
		Water (Control)	0
		LBB + Sticker	60
3	Winter Rye	CSL	65
		LBB	20
		CLS + LBB	70
4	Ryegrass	CSL	50
		LBB	20
		CSL + LBB	65

The greenhouse findings indicate that the sticker (surfactant) significantly enhances LBB activity but marginally lowers CSL activity. The difference in effect not unexpected considering the differences in composition and associated physicochemical attributes of lactobacillus broth relative to CSL. What is somewhat surprising, however, is the decline in CSL activity especially in regards to ryegrass inhibition. In addition, it is seen that CSL can substitute for the sticker with no concomitant loss in activity. The addition of LBB to CSL may in fact enhance activity.

#### EXAMPLE 7

This example illustrates that lactobacillus broth can be concentrated using heat and vacuum to produce a high solids concentrate that exhibits no detectable loss of germination inhibition activity.

The lactobacillus broth was produced using *Lactobacillus delbrueckii* sp. *lactis*, (ATCC 4797) shake flask culture and Lactobacilli MRS media. The broth, which was determined to have a solids content of about 4.7% and a pH of about 4.1, was concentrated using a laboratory rotary evaporator (rotovap). Specifically, about 750 mls of whole broth was transferred to a vacuum flask, which was heated to about 80° C while rotating in a temperature controlled water bath. A low vacuum was then applied to the heated broth and the solution maintained under these conditions for about 80 minutes. Approximately 65 mls of concentrate was retrieved from the flask. The concentrate, which had a solids content of about 52% (dsb) and a pH of about 4.3, was diluted and assayed using the barley seed germination assay described in Example 4. The results are shown in the Table below.

Table 12

Herbicide	% Inhibition
Water (Control)	0
0.25% LBB – Not Concentrated	40
0.47% LBB – Not Concentrated	95
0.25% - Dil. Conc.	40
0.5% - Dil. Conc.	100

As seen, there is little difference in the growth retardant activity by between unconcentrated and heat-mediated evaporative concentrated and high solids LBB.

### EXAMPLE 8

Two other lactic acid bacteria cultures, *Lactobacillus delbrueckii* sp. *delbrueckii* (ATCC 4996) and a dry mixed culture comprised of *Lactobacillus plantarum* and *Pediococcus cerevisiae*, a commercial silage inoculant product for the fermentation of forage and high moisture grains, were grown in accordance with the procedures outlined in Example 7. Following approximately 40 hours of growth, the cultures were tested for rootlet inhibition in the activity assay. The activity assay results showed that both the *Lactobacillus delbrueckii* sp. *delbrueckii* (ATCC 4996) and the mixed culture exhibited root retardant activity essentially identical to that observed with *Lactobacillus delbrueckii* sp. *lactis* (ATCC 4797) shown in Table 9 of Example 4.

**EXAMPLE 9**

This example examines lactic acid:MRS medium contributions to the observed root retardant activity.

5        The media, Lactobacilli MRS Broth, was prepared as per the manufacturer's instructions, autoclaved, and chilled to room temperature. Herbicides were prepared as follows:

1.        The MRS media standard, which had a pH of about 6.5, was used as is.
2.        A herbicide composed of MRS + 3% lactic acid sample was prepared by  
10        adding sufficient lactic acid to an aliquot of MRS broth to bring the final lactic acid concentration to 3%. The pH of this solution was then adjusted to pH 4.2 with NaOH.
3.        An acidified MRS media sample was prepared by adjusting the pH of standard media to 4.2 with the addition of HCl.

15        Rootlet inhibitory activity was assayed used barley seeds. Seed preparation and germination assay procedures were executed as described in Example 7.

The results of this assay are shown in the Table below.

Table 13

Sample	Inhibition Score
Water (Control)	0
MRS media	2
MRS media + 3% lactic acid, pH 4.2	9
HCl/acidified MRS media, pH 4.2	4

20        This example demonstrates that the addition of 3% lactic acid to the media enhances the rootlet inhibitory activity in a manner that is substantially greater than that achieved by simply acidifying the media alone.

**EXAMPLE 10**

This example examines the relationship between pH and root retardant activity.

Lactobacillus broth was produced as described in Example 7. The finished whole broth, which included the cells, was autoclaved (121° C; 15 minutes) prior to use and had a pH of about 4.2.

The samples examined for germination inhibitory activity were as follows:

1. Lactobacillus broth, pH 4.2.
2. Lactobacillus broth diluted 50% with water, pH 4.2.
3. Lactobacillus broth, pH 5.5. This was prepared by adding sufficient NaOH to adjust the pH of the finished broth 5.5.
4. Lactobacillus broth, pH 5.5, diluted 50% with water.
5. Lactobacillus broth, pH 7.8. This was prepared by adding sufficient NaOH to adjust the pH of the finished broth to 7.8.
6. Lactobacillus broth, pH 7.8, diluted 50% with water.

Root retardant activity was assayed used barley seeds. Seed preparation and germination assay procedures were executed as described in Examples 7 and 9.

The findings of this study are shown in the Table below.

Table 14

Sample	Inhibition Score
Water (Control)	0
Broth, pH 4.2	10
Diluted Broth, pH 4.2	6
Broth, pH 5.5	6
Diluted Broth, pH 5.5	3
Broth, pH 7.8	7
Diluted Broth, pH 7.8	3

The results of this study suggest that the lactobacillus broth mediated germination inhibitory activity has little pH dependency. Taken together with the findings of Example 9, the results of this experiment imply that several agents may contribute to the germination inhibitory activity.

**EXAMPLE 11**

In this example the performance of spray-dried yeast treated corn steep liquor (sdCSL) was evaluated against liquid yeast treated corn steep liquor (ICSL) and commercial gluten (Gluten).

5 The materials and methods (including application rates) were the same as those used in the prior example. Spray-dried yeast treated corn steep liquor (sdCSL) was prepared in a laboratory spray-drier using ICSL as the starting material.

The results of this study are exhibited in the Table below.

Table 15

Tray Number	Seed Type	Treatment	% Inhibition
1	Winter Rye Ryegrass	Water (Control)	0
		Water (Control)	0
2	Winter Rye Ryegrass	ICSL	55%
		ICSL	45%
3	Winter Rye Ryegrass	sdCSL	65%
		sdCSL	60%
4	Winter Rye Ryegrass	Gluten	30%
		Gluten	10%

10

As seen, there is little difference in the growth retardant activity between liquid or spray-dried material.

Two other commercially available corn steep powders exhibited rootlet-inhibiting activity comparable to materials tested in the aforementioned examples.

15

**EXAMPLE 12**

A malting composition is prepared by soaking barley seeds in water and mixing the lactobacillus broth prepared in accordance with Example 4.

20

**EXAMPLE 13**

A beer is prepared by fermenting the malting composition of Example 12.

Thus, it is seen that the general object of the invention has been satisfied in that a root retardant has been provided. The root retardant is suitable for use in the brewing of

fermentable beverages, wherein the herbicide may be used during the malting step to inhibit emergent growth of the grain that is to be fermented.

All of the references cited herein, including patents, patent applications, and publications, are hereby incorporated in their entireties by reference.

5        While this invention has been described with an emphasis upon preferred embodiments, it will be obvious to those of ordinary skill in the art that variations of the preferred embodiments may be used and that it is intended that the invention may be practiced otherwise than as specifically described herein. Accordingly, this invention includes all modifications encompassed within the spirit and scope of the invention as  
10        defined by the following claims. All references cited herein are hereby incorporated by reference in their entireties.

**WHAT IS CLAIMED IS:**

1. A malting composition comprising a maltable grain and a root retardant,  
5 said root retardant comprising corn steep liquor, wherein said growth inhibitor is  
present in said composition an amount effective to retard root formation of said  
maltable grain.

2. The composition of claim 1, wherein said maltable grain is selected  
10 from the group consisting of wheat, barley, and rye.

3. The composition of claim 1, comprising water in an amount effective to  
promote the malting of said maltable grain.

4. The composition of claim 1, wherein said root retardant is selected from  
15 the group consisting of dried corn steep liquor, and concentrated corn steep liquor.

5. A method of malting a maltable grain, comprising malting said maltable  
grain in the presence of a root retardant, said root retardant comprising corn steep  
20 liquor, and being present in an amount effective to retard root formation of said  
maltable grain.

6. A method according to claim 5, said maltable grain being selected from  
the group consisting of wheat, barley, and rye.  
25

7. A malted composition produced in accordance with the method of claim  
6.

8. A method for making a fermented beverage, comprising:  
30 providing a malted malting composition, said malted malting  
composition having been made by malting a malting composition, said malting



composition comprising a fermentable grain and a root retardant, said growth inhibitor comprising corn steep liquor, wherein said root retardant is present in an amount effective to retard root formation of said fermentable grain; and fermenting said malted malting composition.

5

9. A method according to claim 8, wherein said fermentable grain is selected from the group consisting of wheat, barley, and rye.

10. A fermented beverage produced in accordance with claim 8.

10

11. A malting composition comprising a maltable grain and a root retardant, said root retardant comprising a mixture of MRS medium and lactic acid, wherein said root retardant is present in said composition in an amount effective to retard root formation of said maltable grain.

15

12. A method of malting a maltable grain comprising:  
providing a maltable grain;  
selecting as a growth inhibitor, a growth inhibitor comprising corn steep liquor;  
adding to said maltable grain an amount of said selected growth inhibitor effective to inhibit rootlet formation from of said fermentable grain to thereby form a malting composition; and  
malting said malting composition.

20

13. A method for making a fermented beverage, said malted malting composition having been made by comprising malting a malting composition, said malting composition having been prepared by:

25

providing a fermentable grain;  
selecting as a growth inhibitor, a growth inhibitor comprising corn steep liquor;

30

adding to said fermentable grain an amount of said selected growth inhibitor effective to inhibit rootlet formation from said fermentable grain to thereby form a malting composition; and  
fermenting said malted malting composition.

pe 89 496

RECEIVED

OCT 21 2002

TECH CENTER 1600/2900

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
7 February 2002 (07.02.2002)

PCT

(10) International Publication Number  
WO 02/10331 A3

(51) International Patent Classification<sup>7</sup>: C12C 1/047,  
A23L 1/185, A01N 65/00, 63/02, 37/36

(21) International Application Number: PCT/US01/23880

(22) International Filing Date: 30 July 2001 (30.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/221.830 28 July 2000 (28.07.2000) US

(71) Applicant (for all designated States except US): GRAIN  
PROCESSING CORPORATION [US/US]; 1600 Ore-  
gon Street, Muscatine, IA 52761-1494 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): JOHAL, Sarjit  
[US/US]; 1514 Ranier Drive, Iowa City, IA 52246-4175  
(US). ANTRIM, Richard, L. [US/US]; 3715 170th Street  
N.E., Solon, IA 52333-8923 (US).

(74) Agents: HOOVER, Allen, E. et al.; Leydig, Voit & Mayer,  
Ltd., Two Prudential Plaza, Suite 4900, 180 North Stetson,  
Chicago, IL 60601-6780 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,  
SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,  
ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,  
TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

(88) Date of publication of the international search report:  
10 May 2002

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.



WO 02/10331 A3

(54) Title: ROOT RETARDANT

(57) Abstract: The present invention provides a method of retarding rootlet formation from one or more plants in a medium that can support the growth thereof, which method includes introducing into the medium a growth inhibiting effective amount of a growth inhibitor which comprises corn steep liquor. In other embodiments, the growth inhibitor is a mixture of a growth medium and lactic acid. In preferred embodiments, the present invention further provides a malting composition that includes a fermentable grain and a growth inhibitor, wherein the growth inhibitor is present in an amount effective to retard rootlet formation.

**THIS PAGE BLANK (USPTO)**

# IN RNATIONAL SEARCH REPORT

Inte. onal Application No

PCT/US 01/23880

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12C1/047 A23L1/185 A01N65/00 A01N63/02 A01N37/36

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12C A23L A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 94 16053 A (PANIMOLABORATORIO BRYGGERILABO ; HAIKARA AULI (FI); MATTILA SANDHOL) 21 July 1994 (1994-07-21) page 1, line 11 - page 2, line 20 page 5, line 3 - line 10 page 5, line 31 - page 7, line 15; claims; example 3	11
X	WO 00 25595 A (REINIKAINEN PEKKA ; TUOKKURI VELI MATTI (FI); PELTOLA PETRI (FI); R) 11 May 2000 (2000-05-11) example 4	11
X	US 2 903 399 A (ROBERT DIXON THOMAS) 8 September 1959 (1959-09-08) claims	11
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*G\* document member of the same patent family

Date of the actual completion of the international search

15 March 2002

Date of mailing of the international search report

22/03/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Muellners, W

**THIS PAGE BLANK (USPTO)**

# INTERNATIONAL SEARCH REPORT

Int. Application No

PCT/US 01/23880

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 556 946 A (POLEN PERCY B) 19 January 1971 (1971-01-19) the whole document ---	1-13
A	US 3 188 279 A (FLECKENSTEIN JOHN G ET AL) 8 June 1965 (1965-06-08) column 1 -column 2, line 44 column 5, line 7 - line 15 ---	1-13
A	US 5 030 268 A (CHRISTIANS NICK E) 9 July 1991 (1991-07-09) cited in the application column 2, line 3 - line 8 column 2, line 43 - line 55 column 3, line 1 - line 18 ---	1
A	US 5 290 749 A (CHRISTIANS NICK E ET AL) 1 March 1994 (1994-03-01) cited in the application column 2, line 8 - line 22 column 2, line 56 -column 3, line 25 ---	1
A	US 5 290 757 A (CHRISTIANS NICK E ET AL) 1 March 1994 (1994-03-01) cited in the application column 2, line 16 - line 49 ---	1
A	US 3 320 696 A (RESCHETZ RAYMOND R ET AL) 23 May 1967 (1967-05-23) column 2, line 20 - line 45 column 5, line 20 - line 30 -----	1

**THIS PAGE BLANK (USPTO)**



# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/23880

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9416053	A	21-07-1994	FI 930182 A AU 680426 B2 AU 4821493 A BR 9307847 A CA 2153339 A1 CZ 9501793 A3 EE 3161 B1 EP 0678120 A1 WO 9416053 A1 HU 72484 A2 JP 8505056 T RU 2126443 C1 SK 89995 A3	16-07-1994 31-07-1997 15-08-1994 06-02-1996 21-07-1994 13-12-1995 15-02-1999 25-10-1995 21-07-1994 29-04-1996 04-06-1996 20-02-1999 08-05-1996
WO 0025595	A	11-05-2000	FI 982376 A AU 1050100 A BG 104559 A BR 9906713 A CA 2316184 A1 CN 1287474 T EP 1056349 A1 WO 0025595 A1 HR 20000446 A1 HU 0100402 A2 PL 341536 A1 SK 10092000 A3	03-05-2000 22-05-2000 31-08-2001 17-10-2000 11-05-2000 14-03-2001 06-12-2000 11-05-2000 31-08-2000 28-06-2001 23-04-2001 12-02-2001
US 2903399	A	08-09-1959	NONE	
US 3556946	A	19-01-1971	NONE	
US 3188279	A	08-06-1965	NONE	
US 5030268	A	09-07-1991	US RE34594 E	26-04-1994
US 5290749	A	01-03-1994	AU 679107 B2 AU 7516394 A CA 2144321 A1 DE 69429154 D1 EP 0662784 A1 JP 8504832 T WO 9503698 A1	19-06-1997 28-02-1995 09-02-1995 03-01-2002 19-07-1995 28-05-1996 09-02-1995
US 5290757	A	01-03-1994	AU 679107 B2 AU 7516394 A CA 2144321 A1 DE 69429154 D1 EP 0662784 A1 JP 8504832 T WO 9503698 A1	19-06-1997 28-02-1995 09-02-1995 03-01-2002 19-07-1995 28-05-1996 09-02-1995
US 3320696	A	23-05-1967	NONE	

**THIS PAGE BLANK (USPTO)**